



CERTIFICATE CONSTANCY OF PERFORMANCE

Certificate No.: THERM 9902/2

DQS Hellas grants the present certificate to the company:

ANDRIOPOYLOS S.A. – UNISOL S.A.



Through an audit of the factory production control (FPC) performed for thermal insulation products:

Geofoam of expanded polystyrene (EPS)

Reaction to the fire: Euroclass E

with the designation codes:

EPS 50: EPS - EN 14933 - T2 - L2 - W2 - S2 - P3 - BS 75 - CS(10)50 - SS35 - GM1.021

EPS 80: EPS - EN 14933 - T2 - L2 - W2 - S2 - P3 - BS125 - CS(10)80 - SS60 - GM1.648

EPS 100: EPS - EN 14933 - T2 - L2 - W2 - S2 - P3 - BS 150 - CS(10)100 - SS75 - GM2.013

EPS 150: EPS - EN 14933 - T2 - L2 - W2 - S2 - P3 - BS 200 - CS(10)150 - SS100 - GM2.594

DS(N)2 - DS(70,90)1 - WL(P)0,10

Reaction to the fire: Euroclass E

Its premises at the following address / location:

Agias Layras 6, 26504 Rio Patra

in accordance with the standard:

EN 14933:2008

System 1

The present certified is granted in accordance with the:

- requirements of Construction Products Rule (CPR) 305/2011/EU.
- Annex V of the Rule 568/2014/EU.
- requirements of Annex ZA of the standard EN 14933.
- requirements of Annex B of the standard EN 13172.
- specifications to meet the requirements for ETICS, according to ETAG 004 and the standard EN 13499.
- DQS Hellas General Rule for the Certification of products.
- DQS Hellas Specific Rule for the Certification of the Insulation Materials.

and is ruled by the terms of the relevant contract between DQS Hellas and the enterprise.

The declared performance of the essential characteristics of the products is mentioned in the producer's Declaration of Performance.

Date of issue: 05/12/2019

Date of valid: 04/12/2020

Panagiotis Giannoutsos
Director of Certification

Dr. Emmanouil Deligiannakis
Managing Director

Notified/ Accreditation Body: 4, Kalavriton Street, 14564 Kifissia - Athens, Greece

EEK.002-03 -15/12/2014



Products
Certification
Accreditation number
735
Notification number
2423